VBP:AK XII-3

U. S. DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS Washington

Revised to November 20, 1940

Letter Circular LC-619 (Superseding LC-570)

STANDARDS AND SPECIFICATIONS
FOR BUILDING AND CONSTRUCTION MATERIALS,
FIXTURES, SUPPLIES, AND EQUIPMENT

Contents

The state of the s	
General information	1
Commercial standards	2
Simplified practice recommendations	3
Federal specifications	4
Building codes, construction practice,	
and home maintenance	13
Order blank	14

GENERAL INFORMATION

Commercial Standards, Simplified Practice Recommendations, Federal Specifications, and Bureau publications for building and construction materials, fixtures, supplies, and equipment are listed herein; and where the price is stated the publication can be obtained from the Superintendent of Documents, Government Printing Office, Washington, D. C. Federal Specifications are priced at 5 cents per copy except where otherwise indicated. The prices quoted are for delivery to addresses in the United States and its territories and possessions and in certain foreign countries which extend the franking privilege. In the case of all other countries, one-third the cost of the publication should be added to cover postage. Remittances should be made either by coupons (obtainable from the Superintendent of Documents in sets of 20 for \$1.00 and good until used), or by check or money order payable to the "Superintendent of Documents, Government Printing Office" and sent to him with order.

Lists of sources of supply of materials guaranteed to comply with the specification requirements have been compiled for most of the Commercial Standards and Federal Specifications. They are indicated by an asterisk, and may be obtained free of charge from the Division of Codes and Specifications, National Bureau of Standards, Washington, D. C.

An index of all current Federal Specifications, indicating the status of the specifications and showing the price of printed copies, has been published as Section IV, Part 1 of the Federal Standard Stock Catalog. Copies of this index may be purchased from the Superintendent of Documents, at 15 cents per copy.

Publications marked "OP" are cut of print but, in general, may be consulted at technical libraries.

Series letters with serial numbers are used to designate Bureau publications:

BMS = "Building Materials and Structures" LC = "Letter Circular."

publication.

M = "Miscellaneous Publication."

C = "Circular."

R = "Simplified Practice Recommendation."

COMMERCIAL STANDARDS

<u>Title</u> <u>Series</u>	Price
Blinds, wcod-slat venetian	5¢ 5¢
(draft cil)	5¢
(underfeed type).*CS 48-34Colors for bathroom accessories.CS 63-38Colors for kitchen accessories.CS 62-38Colors for sanitary ware.*CS 30-31Colors and finishes for cast stone.*CS 53-35Commercial standards and their value to business	5¢ 5¢ 5¢ 20¢ 5¢
(second edition)	Free
Dccrs; old growth Dcuglas fir standard stock (with amendment)	10¢ 55¢ 105¢ 0P06 1055 106 0P6 0P6
Shingles, wood (fourth edition)	5¢ 5¢ 10¢ 5¢ 5¢ 5¢

While the supply lasts, mimeographed copies of the above Commercial Standards are available without charge from the Division of Trade Standards, National Bureau of Standards, Washington, D. C.

SIMPLIFIED PRACTICE RECOMMENDATIONS

	<u>Title</u>	Series	Price
	Aspersates, coarse (crushed stone, gravel and slag). Rasphalt. Rasphalt. Bars, steel reinforcing. Boilers, range and expansion tanks. Boilers, range and expansion tanks. Brick, rough and smooth face, common brick. Brick, sand-lime. Brick, sand-lime. Brick, vitrified paving. Color for school furniture. Concrete building units. Doors, hollow metal single acting swing, frames and trim. Refencing, woven-wire; woven wire fence packages. Refencing, woven-wire; coven wire fence packages. Refencing, woven-web steel. Lath, metal (expanded and sheet). Rejahts; sidewalk, floor, and roof. Realts, varnishes, and related products (shades and containers). Relumber. Relumbing fixtures, hospital. Redadiators, large-tube cast-iron. Refrigerator ice compartments. Refence conting. State for plumbing and sanitary purposes, structural. Respents, sheet. Respect and small cut nails. Relanks, hot water storage. Relanks, both water storage. Relanks both water storage. Relanks, both water storage. Relanks, both water storage. Relanks,	19-37 4-36 26-30 8-29 157-37 7 38-37 11-30 32-28 82-28 83-28 83-28 83-28 83-28 83-39 9-38 87-30 49 16-39 150-34 144-37 101-40 109-29 78-28 30-37 122-31 14-28 28-28 29-28 30-37 122-30 174-40 109-29 78-28 13-28 28-29 17-28 28-29 18-29 18-29 18-29 18-29 18-29 18-29 18-29 18-29 18-29 18-39 18-	55¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢¢
2	Simplified practice - Its purpose and applicationLC	590	- 0

Where no price is shown, publications are available in mimeographed form only from the Division of Simplified Practice, National Bureau of Standards, Washington, D. C.

FEDERAL SPECIFICATIONS

*List of Willing-to-Certify Sources of Supply has been compiled.

	Specification Symbol
ANIMAL PRODUCTS Cushion; carpet and rug, hair-felt	
Felt; hairGlue; animal (for) woodworking	*C-F-201a *C-G-451
CABLE AND WIRE	
Cable (armored and lead-covered-armored) and Cord (armored); (600-volt service and under)	*J-C-101b
CHEMI CALS	
Fire-Extinguishers; chemical, hand, carbon-tetrachloride type Fire-Extinguishers; chemical, hand, soda-and-acid type Fire-Extinguishers; hand, portable, foam-type Fire-Extinguishing-Liquid; carbon-tetrachloride base	• *0-F-355a • 0-F 361
COAL-TAR AND PRODUCTS	,
Pitch; coal-tar (for) mineral-surfaced built-up recfing, waterprecfing and damppreofing. Tar; cold-application (for) roads. Tar; (for) joint filler. Tar; refined, construction (for) roads. Tar; refined (for) crack filler. Tar; refined, hot-application (for) roads. Tar; refined, mixed-in-place construction (for) roads. Tar; repair-work (for) roads.	*R-T-101 *R-T-111 *R-T-121 *R-T-126 *R-T-131 R-T-136
CORDAGE, TWINE, AND PRODUCTS	,
Cord, sash; cotton, braided	• *T-C-571a

ELECTRIC-APPARATUS

Bases; cut-out (for) enclosed-cartridge, open-link, and	
plug-fuses	*W-B-81a
Batteries and Cells; dry	*W-B-101a
Boxes and Cutlet-Fittings, floor; (for) rigid-steel-conduit	,, 10 1010
and electric-metallic-tubing (steel)	W-B-616
Clock-Systems; electric	W-C-471a
Fans, electric; bracket and desk types, rigid-blades	11-0-4/1a
(for shore use)	W-F-101a
Fire-Alarm Systems; electric, hand-operated, positive,	W-r-101a
	W-F-391
non-interfering type	
	W-F-396 W-F-406
Fittings; cable and conduits	
Fuses; cartridge, inclosed, nonrenewable	W-F-791
Fuses; cartridge, inclosed, renewable (fusible links not	#17 7 (10.7
separately inclosed)	*W-F-803
Fuses; cartridge, inclosed, renewable (fusible links	M *** *** COE
separately inclosed)	*W-F-805
Fuses; plug, nonrenewable	*W-F-831
Lamps; electric, incandescent, large, tungsten-filament	*W-L-101d
Outlet-Bodies; iron (cast or malleable), cadmium or zinc-coated	
with covers and accessories (for shore use)	W-0-806
Outlet-Boxes; steel, cadmium or zinc-coated, with covers	
and accessories	W-0-821a
Panelboards; equipped with automatic-circuit breakers	*W-F-131
Panelboards; equipped with fuse-connections or switches	1.6
and fuse-connections	W-P-146
Raceways and Fittings; metallic, underfloor	W-R-36
Raceways and Fittings; nonmetallic, underfloor	W-R-41
Receptacles (convenience-outlets); attachment-plugs,	
current-taps, and connectors	*W-R-151
Switches; knife, open-type, front-and rear-connected	*W-S-871
Switches; snap, multiple-type and combination-devices,	
flush-type, with wall-plates	*W-S-893
Switches; snap, single-unit, interchangeable, flush-type,	
with wall-plates	*W-S-896
Watchmen's-Report-Apparatus	W-W-101
FURNI TURE	
destrict of the second of the	-
Cabinets; stationery, storage, and clothing (steel)	
Furniture and Cabinets; office, sectional, steel	
Furniture and Cabinets; office, sectional, wood	*AA-F-801
Lockers; clothes, steel	*AA-L-486
Shelving; steel, stcrage	*AA-S-271
GLASS AND GLASSWARE Glass; flat (for) glazing purposes	
Glass; flat (for) glazing purposes	*DD-G-451
Glass: flat, glazing (for) transmitting not less than 25%	
of ultra-violet radiation at wave length 302 millimicrons	DD-G-476

JJ-H-571

HARDWARE

Bolts, lag; steel (lag-screws). Bolts; Nuts; Studs; and Tap-Rivets, (and material for same). Dispensers; scap. Hardware, builders'; locks and lock-trim. Hardware, builders'; shelf and miscellaneous. Hardware, builders'; hinges. Hardware, builders'; door-closers. Hardware and Fittings; (for) lavatory partitions and inclosures. Nails; Spikes; Staples; and Tacks. Padlocks. Pins; cotter, split. Screws, machine; (including Screws, set). Screws; wood. Turnbuckles. Wool; steel.	*FF-B-561 *FF-B-571a *FF-D-396a *FF-H-106 *FF-H-111 (10¢ *FF-H-121a *FF-H-121a *FF-H-136 *FF-N-101 (10¢ *FF-P-101a *FF-S-91 *FF-S-91 *FF-S-111 *FF-T-791
INSULATING MATERIALS	
Brick; fire-clay. Brick; silica. Cement; silica. Clay; fire. Compcund; plumbing-fixture-setting. Cork; compressed (corkboard). Cork; granulated, insulating. Cotton-Fabric; woven, asphalt-saturated. Felt; asphalt-saturated (for) flashings, recfing, and waterprecfing. Felt; coal-tar-saturated (for) recfing and waterprecfing. Filler, Expansion-Joint, Preformed; nonextruding and resilient-types (for concrete). Gaskets; plumbing-fixture-setting. Insulation; bat or strip-form and loose-fill. Insulation (vegetable or weed-fiber); blanket, felt, and loose-fill. Magnesia; block, cement, and pipe-covering (melded). Millboard; asbestos. Mineral-Wool, impregnated; blanket, block, and pipe-covering (melded), (for low temperatures). Mortar; air-setting, refractory, bonding, (wet-type). Pipe-Covering; cork, molded. Pipe-Covering and Cement; mineral or rock-wool. Refractories; fire-clay, plastic.	*HH-B-671b *HH-B-681 HH-C-176 *HH-C-151a HH-C-536 *HH-C-561a *HH-C-571a *HH-C-581a HH-C-591 *HH-F-191 *HH-F-201 HH-F-341 HH-G-116 HH-I-521b HH-I-521b HH-I-571 *HH-M-61 *HH-M-351 HH-M-371 HH-M-611 HH-P-381 HH-P-386a *HH-R-191
Tape; friction	*HH-T-101a *HH-T-111a
Tubing; flexible, nonmetallic	*HH-T-791
KNIT GCCDS, NETTING, AND WEBBING	

Hose; fire, linen, unlined.....

LUMBER AND TIMBER	Specification Symbol
Lumber and Timber; hardwoodLumber and Timber; softwood	
<u>MACHINERY</u>	
Air-Conditioning-Units (room-coclers); electric-motor-driven, portable	· 00-A-361
METALS	
Bars; reinforcement, (for) concrete. Bases, metal; (for) plaster and stucco construction. Copper; bars, plates, rods, shapes, sheets, and strips. Culverts; iron or steel, zinc-coated. Iron and Steel; sheet, black and zinc-coated (galvanized). Lead; calking. Lead; sheet. Solder; tin-lead. Steel; stay-bolt (boiler). Steel; structural (for) bridges. Steel; structural (for) buildings. Steel, Corrosion-Resisting; plates, sheets, strips, and structural-shapes. Terne-Plate (long-ternes). Terne-Plate (roofing-tin). Zinc; plates, sheets, and strips.	*QQ-B-101c *QQ-C-501 *QQ-C-806 *QQ-I-696 *QQ-L-156 *QQ-L-201 *QQ-S-571 *QQ-S-701 QQ-S-711a QQ-S-721a QQ-S-766 QQ-T-191 QQ-T-201
METAL PRODUCTS	
Cloth; wire, screen	*RR-F-191 *RR-F-221
Gratings; steel, floor (except for Naval vessels) Tile, wall; enameled-iron	. RR-T-421
MINERALS AND PRODUCTS (nonmetallic)	
Accustic-Materials; (for) plastic-application	• SS-A-118 • SS-A-281
dampproofing	• SS-A-671
<pre>(squeegee or pouring method) Asphalt-Primer; (for) roofing and waterproofing Asphalt; (for use in) road and pavement construction Brick; building, (common), clay Brick; concrete Brick; paving Brick; sand-lime. Brick; sewer, clay</pre>	*SS-A-701 *SS-A-706 *SS-B-656 *SS-B-663 *SS-B-671a *SS-B-681

MINERAL AND PRODUCTS (nonmetallic) (Cont.)

Cement; bituminous, plastic	*SS-C-153
Cements, hydraulic; general specifications (methods for	
sampling, inspection, and testing)	SS-C-158 (10¢)
Cement; Keene's	*SS-C-161
Cement; masonry	*SS-C-181b
Cement; Portland	*SS-C-191a
Cement; Portland, high-early-strength	SS-C-201
Cement; Portland, moderate-heat-of-hardening	SS-C-206
Cement; Portland, pozzolana	SS-C-208
Coment; Portland, sulphate-resisting	SS-C-211
Concrete-Units; masonry, hollow	*SS-C-621
Crushed-Stone, Crushed Gravel, and Crushed-Slag; (for)	55-0-051
binder-course, sheet-asphalt-pavement	SS-C-726a;
Crushed-Stone, Crushed-Gravel, and Crushed-Slag; (for)	55-0-120a
bi tuminous-concrete-base or surface-course	CC 0 771 c
Ome aload Chang and Constitute of Carlo in Chan in the interest of made dom'	SS-0-731a
Crushed-Stone and Crushed-Slag; (for) bituminous-macadam-	aa a 77(.
base or surface-course	SS-C-736a
Crushed-Stone and Crushed-Slag and Gravel; (for)	
bituminous surface-treatment	SS-C-741a
Crushed-Stone and Crushed-Slag; (for) waterbound-base	1 (
or wearing-course	SS-C-746a
Facings; foundry, carbon-base	*SS-F-111
Granite-Blocks; recut granite, and durax granite pavements	ss-g-651
Gyp sum; calcined	*SS-G-901
Lime; hydrated (for) structural purposes	*SS-L-351
Lime; hydraulic, hydrated	SS-L-361
Materials; (for) cushion course, brick, stone-block, or wood-	
block pavements (sand, slag, limestone, screenings, etc.)	SS-M-51
Mineral-Filler: (for) sheet asphalt or asphaltic concrete	
pavements (Portland cement, limestone dust and dolomite	•
dust)	SS-M-351
dust)	SS-P-361
Pipe; concrete, non-pressure, non-reinforced and reinforced	*SS-F-371
Plaster; gypsum	*SS-P-401
Plaster-Board; gypsum	*SS-P-431a
Quickline; (for) structural purposes	* SS-Q-351
Road and Paving-Materials; general specifications (methods	20 %)).
for sampling and testing)	SS-R-406(10¢)
Roof-Coating; asphalt, brushing-consistency	*SS-R-451
Roofing; asphalt-prepared, smccth-surfaced	*SS-R-501
	*SS-R-511
Roofing; asphalt and asbestos-prepared, mineral-surfaced	*SS-R-521
Roofing and Shingles; asphalt, prepared, mineral-surfaced	22-K-2 <t< td=""></t<>

- X :-

MINERALS AND PRODUCTS (nonmetallic) (Cont.)

Tile; structural, clay, load-bearing wall Tile; structural, clay, non-load-bearing Wall-Board; gypsum	SS-S-51 SS-S-61 SS-S-71 SS-S-291 *SS-S-451 *SS-T-306 SS-T-316 *SS-T-321 *SS-T-321 *SS-T-351 *SS-T-351
PAINTS, PIGMENTS, VARNISHES AND PRODUCTS	
Boneblack; dry, paste-in-japan, paste-in-oil	TT-A-466 *TT-A-476 *TT-B-486 *TT-B-601 TT-C-96
Chrome, green; oxide	*TT-C-231 *TT-C-236
(lemon, medium, orange) Drier; paint, liquid Enamel; interior, gloss; light-tints and white	*TT-C-291 *TT-D-651 *TT-E-506a
	*TT-E-521 *TT-E-531a *TT-F-336
Paint, Blue-Lead-Base; basic sulphate, linseed-oil, ready-mixed	*TT-L-71 *TT-0-111 TT-P-20
Paint; graphite, cutside, ready-mixed, black Paints; iron-hydroxide and iron-oxide, ready-mixed and	*TT-P-23a TT-P-27
semipaste Paints; lead-zinc base, ready-mixed and semipaste, white and tinted	
Paints; oil, interior, eggshell-flat-finish, ready-mixed and semipaste, light-tints and white	*TT-F-51a
Paint; (for) priming plaster-surfaces (plaster primer and	*TT-P-56
Paint; ready-mixed, international-orange	TT-P-59 *TT-P-61
Paints; ready-mixed and semipaste, green	*TT-P-71 *TT-P-81 TT-P-86
Paint; rubber-base, (for) cement-floors	TT-P-91 *TT-F-101a

PAINTS, PIGMENTS, VARNISHES AND PRODUCTS (Cont.)

Primer; paint, zinc dust-zinc exide (for galvanized	
(zinc-coated) or zinc surfaces)	TT-P-641
Prussian-Blue; dry, paste-in-japan, paste-in-cil	*TT-F-691
Putty; pure linseed cil; (fcr) wood sash-glazing	*TT-P-791a
Red-Lead; dry and paste-in-oil	*TT-R-191a
Remover; paint and varnish (organic-solvent-type)	*TT-R-251
Sealer; flcor, wood	TT-S-176
Shellac; orange	*TT-S-271
Thinner; paint, (for) semipaste paints	*TT-T-271
Thirner; paint, volatile mineral spirits	*TT-T-291
Ultramarine Blue; dry, paste-in-japan, paste-in-oil	*TT-U-451
Varnish; asphalt	*TT-V-51
Varnish; damar	TT-V-61
Varnish; interior	*TT-V-71a
Varnish; mixing (for) aluminum-paint	*TT-V-81a
Varnish, Rubbing; cabinet	TT-V-86
Varnish; shellac	*TT-V-91a
Varnish; spar, water-resisting	*TT-V-121a
White-Lead; basic-carbonate, dry, maste-in-oil, and	
semipaste containing volatile-thinner	*TT-W-251a
White-Lead; basic-sulphate, dry and paste-in-cil	*TT-W-261a
Wood-Preservative; ccal-tar creosote (fcr) ties and	
structural timbers	TT-W-556
Wood-Preservative; creosote (for) brush and spray-treatment	TT-W-561a
Wood-Preservative; creosote-coal-tar-solution (for) ties	_
and structural timbers	TT-W-566
Wood-Preservative; preservative treatment	TT-W-571a
Wood-Preservative; zinc-chloride (for) ties and	
structural timbers	TT-W-576
Zinc-Oxide; dry and paste-in-cil	*TT-Z-301
Zinc-Oxide; leaded, dry and paste-in-oil	*TT-Z-321
PAPER AND PRODUCTS	
Paper, Kraft; concrete-curing, waterproofed	UU-P-264
Paper; sheathing, waterproof	*UU-P-536
Wall-Board; composition	*UU-W-101a
PETROLEUM AND PRODUCTS	
שיטricant; chain and wire-rcpe	*VV-L-751
Oil; road, type OH-1-25, hct-application	*VV-0-751
PIPE, PIPE-FITTINGS, PLUMBING-FIXTURES, TUBES, AND TUBING	(metallic)
Conduit; steel, rigid, enameled	*WW-C-571
Conduit; steel, rigid; zinc-ccated	*WW-C-58la
Flange-Dimensions, standard; (classes 125 and 250 cast-iron	
flanges; classes 150 and 250 bronze-flanges) (for land use).	WW-F-406
Nipples, pipe: brass, steel, and wrought-iron	*WW-N-351

PIPE, FIPE-FITTINGS, PLUMBING-FIXTURES, TUBES, AND TUBING (metallic) (Cent.)

Pipe; brass, seamless, ircn-pipe-size, standard and extra-strong Pipe, cast-iron; drainage, vent, and waste, (threaded). Pipe; copper, seamless, iron-pipe-size, standard. Pipe and Pipe-Fittings; soil, cast-iron. Pipe; steel and ferrous-allow, wrought, iron-pipe-size. Pipe; water, cast-iron (bell and spigot, and belted-joint). Pipe; wrought-iron, welded, black and galvanized. Pipe-Fittings; brass or brenze (threaded), 125-pounds. Pipe-Fittings; cast-iron, drainage. Pipe-Fittings; cast-iron, drainage. Pipe-Fittings; malleable-iron (threaded). Pipe-Fittings; malleable-iron (threaded), 150-pounds. Plumbing-Fixtures; (for) shore purposes. Traps; radiator, thermostatic, brass or brenze, low-pressure, 100 square-foot-size (for land use). Tubes; boiler, steel. Tubing; brass, seamless. Tubing; copper, seamless (for general use with I.P.S. flanged-fittings). Tubing; copper, seamless (for use with schdered or flared- fittings). Tubing; copper, seamless (for use with schdered or flared- fittings). Tubing; electrical, metallic. Unions; malleable-iron or steel, 300-pounds. Unions; malleable-iron or steel, 300-pounds. Valves, brass or bronze; angle and globe, 150-pounds, threaded and flanged, (for land use). Valves, gate; 125-pound, threaded and flanged, (for land use). Valves, radiator; air, thermostatic (gravity-steamheating-	*WW-P-351 WW-P-356 *WW-P-377 *WW-P-401 *WW-P-403a *WW-P-441 *WW-P-441 *WW-P-441 *WW-P-461 WW-P-491 *WW-P-501a *WW-P-521a *WW-P-521a *WW-T-721 *WW-T-731a *WW-T-731a *WW-T-791 *WW-T-797 *WW-T-797 *WW-T-806a *WW-U-516 *WW-U-536 WW-V-51 WW-V-76b
systems)	WW-V-151
RUBBER AND KUBBER-GOODS	
Cushion, underlay; carpet and rug, sponge-rubber. Floor-Covering; rubber, sheet. Hose; fire, cotton, rubber-lined. Hose; gas (acetylene, air, hydrogen, and oxygen). Hose; water, braided. Hose; water, wrapped. Mats, Floor; rubber, link-type. Matting; rubber. Matting; rubber (for use around electrical apparatus or circuits not exceeding 3,000 volts to ground). Tile, floor, rubber.	ZZ-C-Ell *ZZ-F-461 *ZZ-H-451 *ZZ-H-461a *ZZ-H-601 *ZZ-H-611 ZZ-M-46 *ZZ-M-71 *ZZ-M-71

Specification Symbol

TEXTILES (yardage)

TEXTILE PRODUCTS	
Shades, window; rollers, slats, cords, and accessories *DDD-S-25	1
VEGETABLE PRODUCTS	
Oil; linseed, boiled*JJJ-0-33 Oil; linseed, raw*JJJ-0-33	
WGOD FRODUCTS	
Blinds; venetian, wccd-slat. Carpet; ccrk. Fiber-Board; hard-pressed, structural. LLL-F-31 Fiber-Board; insulating. Lincleum; battleship. Lincleum; plain, inlaid, and printed. Shades, window; wcod-slats. LLL-S-25 Tile; ccrk. Turpentine; (for) paint, type I. *LLL-T-79 Turpentine; (for) paint, type II. *LLL-T-79	l la la l 6

BUILDING CODES, CONSTRUCTION PRACTICE, AND HOME MAINTENANCE

<u>Title</u>	Series	Price
Recommended Minimum Requirements for Masonry Wall Construction (and Modifications thereto).(1924) Minimum Live Loads Allowable for Use in Design of	вн 6	15¢
Buildings (1924)	BH 7	10¢ 50¢
Resistance in Buildings (1930)	BH 14 BH 15	10¢ 15¢
Censtruction (1932)	BH 18	10¢
Preparation and Revision of Building Codes (1939) Flumbing Manual: Report of Subcommittee on Plumbing of the Central Housing Committee on Research, Design,		15¢
and Construction (1940)		15¢
Design and Construction of Building Exits (1935)	M 151	10¢
Publications Relating to Accident Prevention and Safety	LC 60	Free
Building and Maintenance (1938)		n . n
Publications of the National Bureau of Standards List of Publications of Interest to the General Public (19 Publications Relating to Building Codes and Construction Practice, Home Building—Building		11
Material Specifications—Home Maintenance (1940) Building Materials and Structures Reports (List) (1940) Building Regulation: Publications issued by the		11 11
National Bureau of Standards (Descriptive List) (1939) Technical Information on Building Materials (List) (1938). Services of the National Bureau of Standards to the		11 11
Home Building Industry and to the Household The Certification Plan, Its Significance, Scope and Application to Selected Federal Specifications and		17
Commercial Standards	LC 607	11

Publications which are marked "Free" may be obtained from the Division of Codes and Specifications, National Bureau of Standards, Washington, D. C.

Superintendent of Documents, Government Printing Office, We binate P. 2	ate
Washington, D. C.	
Enclosed is \$(money order, New York draft, or coithe following publications:	n) for
<u>Series</u> <u>Publication</u>	Price
TCTAL	
Name:	
Address: Nc. Street: .	
City:State:	